

Retail Food Establishment Inspection Report

Floyd County Health Department Telephone:812-948-4726 X678

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

| The time limit for correction of each violation is specified in the narrative portion of this report. | | | | | | | | |
|--|-----------|--------|---|--|------------------------------|----------------|------------|--|
| Establishm | ent Name | ~], | e (K) #2229 | Telephone Number 8 2-949- 293 | Date of In (mm/dd/y | | PERMIT# | |
| 30 / 1 1 1 | <u></u> | CI | | | کی ا | 4 | 19- | |
| Establishm | ort Addre | ss (nu | imber and street, city, state, zip code) Main St New Albany, IN 47150 | 812-379-9227 | 12-2 | 3 -19 | 60 | |
| | | | nurenience Stores LLC | Purpose: | Follow-up Release Date | | | |
| / (| ac) | L0 | MUEALLACE OLONG CEC | 1. Routine | NO | 100 | 2045 | |
| Owner's A | Box | 34 | 17 Columbus, IN 47202 | Follow-up Summary of Violations: Complaint | | | | |
| Person in C | Charge | e H | f Couling | 4. Pre-Operational | C_6 | C = NC = R = 1 | | |
| Responsible | | | | 5. Temporary | Menu Type (See back of page) | | | |
| , | | | | 6. НАССР | | | | |
| Certified F | ood Mana | - | , | 7. Other (list) | $ _1 \vee_2$ | 3 | 4 5 | |
| | <u> </u> | | n/a | | | | | |
| • CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C" | | | | | | | | |
| • VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R" | | | | | | | | |
| Section# | C/NC | R | Narrative | | | To Be Co | rrected By | |
| 256 | NC | | Observed Missing Hermometer | in hot dog coo | ler. | 3 d | ays | |
| 745 | NC | R | 5 Observed wiping clothe out of Sanitizer. today | | | | | |
| 295 | NC | | Observed spill in walk-in cooler under Milk. 2 days | | | | | |
| 324 | NC | | Observed leaks bather 2 | casinets unde | ^ | | | |
| 433 | , | | Soda machine. 8 behind drink machine from 10 days | | | | | |
| | | | Filter cylinder | | | | - | |
| 4 | NC | | Observed map water not damped & map to day | | | | | |
| , | | | not hung to dry. | | | | | |
| | • | | | | | | | |
| | : . | | | | | | | |
| | | | , | | | | | |
| | | | | | | | | |
| | | | | | , | | | |
| | | | | | | | | |
| | " | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| Received by (name and title printed): Inspected by (name and title printed): | | | | | | | | |
| SEFF Couling Store Manager Thomas Suider, EHS | | | | | | | | |
| Received by (signature): Inspected by (signature): | | | | | | | | |
| the trompship | | | | | | | | |
| cc/ Cc: | | | | | | | | |

| Floyd County Health Department Inspection Notes | | | | | | | | |
|--|--|--|--|--|--|--|--|--|
| Gode# www.c/NCsis streets as a street of the confinence of the con | | | | | | | | |
| | PIC: Jeff Couling | | | | | | | |
| | CFH: | | | | | | | |
| | Health Policy Y - N Food Code: Y - N | | | | | | | |
| | Email: | | | | | | | |
| , | | | | | | | | |
| | look under drink muchine pup water left out - Wens il dompnie | | | | | | | |
| 433 NC | mes mater left out - Wens il dompnie | | | | | | | |
| | | | | | | | | |
| 1324 NC | leaking tiltration baland drinks | | | | | | | |
| 1/20/ 110 | | | | | | | | |
| V 256 NC | Thromater in dus cooler | | | | | | | |
| V 295 NC | Spill had 1911 | | | | | | | |
| | espired rolk | | | | | | | |
| | Spirocar Vin | | | | | | | |
| V 245 NC | x8 ray out of sanchizm | | | | | | | |
| 00000 | 1 2 301 01 2 - 17 | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |